

L Number	Hits	Search Text	DB	Time stamp
1	235	pulse and (read\$3 same writ\$4 same refresh\$3) and calibrat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:24
2	235	pulse and (read\$3 same writ\$4 same refresh\$3) and calibrat\$3 and control\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:26
3	123	pulse and (read\$3 same writ\$4 same refresh\$3 same cycle\$1) and calibrat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:26
4	17	pulse and (read\$3 same writ\$4 same refresh\$3 same cycle\$1) and (calibrat\$3 same determin\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:25
5	20	pulse and (read\$3 same writ\$4 same refresh\$3 same cycle\$1) and (calibrat\$3 same chang\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:25
6	7	(voltage\$1 with pulse) and (read\$3 same writ\$4 same refresh\$3 same cycle\$1) and calibrat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:26
7	137	pulse and (read\$3 same writ\$4 same refresh\$3) and calibrat\$3 and (control\$4 same adjust\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:27
8	63	pulse and (read\$3 same writ\$4 same refresh\$3 same cycle\$1) and calibrat\$3 and (control\$4 same adjust\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:27
9	1416	365/145.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:27
10	0	(pulse and (read\$3 same writ\$4 same refresh\$3) and calibrat\$3) and 365/145.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:28
11	0	(pulse and (read\$3 same writ\$4 same refresh\$3) and calibrat\$3 and control\$4) and 365/145.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:28
12	0	(pulse and (read\$3 same writ\$4 same refresh\$3 same cycle\$1) and calibrat\$3) and 365/145.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 08:28